COBRTL

```
CCCCCCCC    000000    BBBBBBBB    PPPPPPPP    RRRRRRRR    000000    LL                000000    GGGGGGGG
CCCCCCCC    000000    BBBBBBBB    PPPPPPPP    RRRRRRRR    000000    LL                000000    GGGGGGGG
CC          00    00  BB      BB  PP      PP  RR      RR  00    00  LL          00    00  GG
CC          00    00  BB      BB  PP      PP  RR      RR  00    00  LL          00    00  GG
CC          00    00  BB      BB  PP      PP  RR      RR  00    00  LL          00    00  GG
CC          00    00  BBBBBBBB    PPPPPPPP    RRRRRRRR    00    00  LL          00    00  GG
CC          00    00  BBBBBBBB    PPPPPPPP    RRRRRRRR    00    00  LL          00    00  GG
CC          00    00  BB      BB  PP          RR  RR      00    00  LL          00    00  GG    GGGGGG
CC          0C    00  BB      BB  PP          RR  RR      00    00  LL          00    00  GG    GGGGGG
CC          00    00  BB      BB  PP          RR    RR    00    00  LL          00    00  GG      GG
CC          00    00  BB      BB  PP          RR    RR    00    00  LL          00    00  GG      GG    ::::
CCCCCCCC    000000    BBBBBBBB    PP          RR      RR  000000    LLLLLLLLLL  000000    GGGGGG        ::::
CCCCCCCC    000000    BBBBBBBB    PP          RR      RR  000000    LLLLLLLLLL  000000    GGGGGG        ::::

RRRRRRRR    EEEEEEEEEE    QQQQQQ
RRRRRRRR    EEEEEEEEEE    QQQQQQ
RR      RR  EE            QQ    QQ
RR      RR  EE            QQ    QQ
RR      RR  EE            QQ    QQ
RRRRRRRR    EEEEEEE       QQ    QQ
RRRRRRRR    EEEEEEE       QQ    QQ
RR  RR      EE            QQ  QQ  QQ
RR  RR      EE            QQ  QQ  QQ
RR    RR    EE            QQ    QQ
RR    RR    EE            QQ    QQ
RR      RR  EEEEEEEEEE    QQQQ  QQ
RR      RR  EEEEEEEEEE    QQQQ  QQ
```

```
!+
! Prologue BLISS REQUIRE file for Run-Time Library COB$ Support
! File: COBPROLOG.REQ, Edit: LGB1001
!
!
!*****************************************************************
!*                                                             *
!*  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY                    *
!*  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.     *
!*  ALL RIGHTS RESERVED.                                       *
!*                                                             *
!*  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  *
!*  ONLY IN  ACCORDANCE WITH  THE  TERMS  OF  SUCH LICENSE  AND WITH THE   *
!*  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR  ANY  OTHER  *
!*  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  *
!*  OTHER PERSON.  NO TITLE TO AND OWNERSHIP OF  THE  SOFTWARE IS  HEREBY  *
!*  TRANSFERRED.                                               *
!*                                                             *
!*  THE INFORMATION IN THIS SOFTWARE IS  SUBJECT TO CHANGE WITHOUT NOTICE  *
!*  AND  SHOULD  NOT  BE  CONSTRUED AS  A COMMITMENT BY DIGITAL EQUIPMENT  *
!*  CORPORATION.                                               *
!*                                                             *
!*  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE  OR  RELIABILITY OF ITS  *
!*  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.    *
!*                                                             *
!*                                                             *
!*****************************************************************
!
!
! Edit History:
!
! 1-001 - Created.  LGB 16-Jan-1984
!--
!
!+
! Set addressing modes to be used.
!-

SWITCHES ADDRESSING_MODE (EXTERNAL=GENERAL, NONEXTERNAL=WORD_RELATIVE);

!+
! Reference precompiled libraries.
!-

LIBRARY 'RTLSTARLE';                    ! SYS$LIBRARY:STARLET.L32
LIBRARY 'RTLML:SMGLIB';                 ! Screen Management Definitions
REQUIRE 'RTLIN:RTLPSECT';               ! Macros for PSECTS
REQUIRE 'RTLIN:COBDEF';                 ! Unit names
REQUIRE 'RTLIN:STRMACROS';              ! STR Macros, $STR$DESCRIPTOR

!+
! Declare PSECTs to be used.
!-

PSECT
    CODE = _COB$CODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
```

E 11

```
        ADDRESSING_MODE (WORD_RELATIVE)),
    PLIT =  COBSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
        ADDRESSING_MODE (WORD_RELATIVE)),
    OWN  =  COBSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,
        ADDRESSING_MODE (LONG_RELATIVE)),
    GLOBAL = COBSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,
        ADDRESSING_MODE (LONG_RELATIVE));

! End of COBPROLOG.REQ
```

TYPEMAIN
LIS

COBPROLOG
REQ

COBACCDAT
LIS

COBACCDWK
LIS

UNLOCK
LIS

UTILSUBS
LIS

INTPAR
SDL

COBDEF
REQ

COBACCDAY
LIS

COBACCECV
LIS

COBRTL

COBLNK
REQ

COBRTL
MAP